

ORH 0/206/25 06/03/25

GOVERNMENT OF ODISHA HIGHER EDUCATION No. 202469785168 / Dt. 05/03/2025

gr. D. S. Premour.

File No.

HE-IT-UC-0001-2025

Issue No.

12655 Dated 05.03, 2025

To.

The Accountant General (A&E), Odisha , Bhubaneswar.

Sub:

3

Sanction of funds for "Disbursement of funds to Non-Government Aided colleges for the upgrading of IT infrastructure." during the year 2024 - 2025.

Sir/Madam,

I am directed to convey the sanction of the Governor to an expenditure of Rs. 361250000 (Thirty Six Crore Twelve Lakh Fifty Thousand Only./-) as per the statement enclosed at Annexure-I for Disbursement of funds to Non-Government Aided colleges for the upgrading of IT infrastructure, during the year 2024 - 2025.

The charge is debitable to 38-Demand Number for Higher Education Department-2202-GENERALEDUCATION-80-· 800-OTHEREXPENDITURE-3104-Information&E-Governance-78047-000-InformationandTechnology-21-SSS-1-Voted-1-State Sector in the budget estimate for the year 2024 - 2025. No diversion of funds from one primary unit to other shall be made without prior approval of HIGHER EDUCATION DEPARTMENT

The Drawing and Disbursing officer (DDO) and the Drawing Treasury for the funds sanctioned herein shall be as per the details mentioned in Annexure-I.

The Financial Rules, Procedures and formalities ashould be strictly followed while incurring expenditure.

This has been concurred in by Higher Education Department.

Signature FA-cum-Special Secretary to Government Higher **Education Department**

Specific Terms and Conditions:

1. The sanctioned amount shall be utilized for upgrading their IT infrastructure by procuring Desktop Computers. Uninterruptible Power Supply (UPS) systems, Multifunction Printers (MFM), LED TVs (65-inch), Wireless Mice Cameras for Virtual Meetings and Internet Facilities.

2. The quantities and detailed specifications of the IT items to be purchased has been attached at Annexure-B.

3. While procuring the above items, OGFR-2023 Guideline shall be followed.

Utilization certificates in respect of the above shall be furnished by 30.06.2025.

Validity unknownSig

OFFICE OF THE PRINCIPAL D.R.NAYAPALLI COLLEGE BHUBANESWAR

Website: https://drnayapallicollege.in Email:drnc22@yahoo.com

Letter No: DRMC/168/25

Date: 15/04/2025

To

The Director,

Public relation &information (PR&I)

Govt. of Odisha, Bhubaneswar. irradut @ gmail-com.

Subject: Advertisement for procurement of IT Accessories out of Govt. grants

Sir.

In inviting a reference to the subject cited above, the draft advertisement for quotation to procure IT Accessories/items for the development of IT Infrastructure of the college is enclosed herewith to be published in two prominent daily news paper i.e, "The Sambad" and "The New Indian Express" (odisha edition) on or before 17.04.2025 consuming minimum space (40 sq.cm) in one insertion only.

After publication of the same, the concerned publishers are required to submit relevant bills (including GST) to our office along with advertised newspaper cut piece for necessary payment. The cost of the Advertisement will be borne by the undersigned as per the Govt. rule.

Principal
Principal
D.R. Nayapalli College
Nayapalli, BBSR

Encl: Draft advertisement for quotation

Draft advertisement:

D R NAYAPALLI COLLEGE BHUBANESWAR.

Website: https://drnayapallicollege.in

Email: drnc22@yahoo.com

Letter No: DRNC/168/25

Date: 15/04/2025

Office of the principal, D.R.Nayapalli College, Bhubaneswar.

Sealed quotations are invited from firms having GST No. for supply of IT accessories/items (Deskopt, UPS (600 VA/360 W, MFM Printers, LED TV (65 inch), Wireless mice & camera for VC, internet accessories) including GST for development of IT Infrastructure of the college. The details of the quotation regarding material specifications to be supplied will be available in the college official website-https://drnayapallicollege.in from the date of advertisement. The quotation should reach to the undersigned on or before 25.4.2025 by 4p.m. The undersigned has every right to cancel the quotation without stating reason thereof.

PRINCIPAL
Principal

O.R. Nayapalli College
Nayapalli, BBSR

OFFICE OF THE PRINCIPAL D.R.NAYAPALLI COLLEGE BHUBANESWAR-12

Quantities & Specifications of IT items of quotation:

Sl.No.	IT items	Branded	Quantity (nos.)
01	Desktop	HP-i3& above	12
02	UPS (600VA/360W)	APC/Delta/ uniline	12
03	MFM Printers print, scan & copy	HP	02
04.	LEDTV(65 inch)	LG	01
05.	Wireless mice & camera for VC	Logitech	01
06	Internet facility		As per requirements

Principal Principal D.R. Nayapalli College Nayapalli, BBSR

Items	Country II	
Cabinet Form Factor	Specification	
Chipset Number	Tower/Micro Tower (15.1 to 26 Litres)	
Processor Make	Intel H670/Intel® H770 or higher Chipset	
Processor	Intel	
Processor Generation	x86 64-bit architecture	
Processor Description	13 Or higher	
Processor Number	Intel Core i3 or higher	
	Intel Core i3 13100 or higher	
Number of Cores and Threads per Processor Operating System	Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and Threads or higher	
	Windows 11 Home Factory Preloaded	
RAM Size (GB)	000	
RAM Expandability up to (using spare DIMM Slots in GB) Integrated Graphics	64 GB or higher	
integrated Graphics		
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes	
Type of Drives used to populate the Internal Bays	NVMe SSD	
Total HDD Capacity (GB)	NA NA	
Total SSD Capacity (GB)	512GB NVMe SSD	
Optical Drive	Optional	
Drive Bays	Two 3.5" (2.5") HDD	
Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height).	
AN	2 M.2 slots for WLAN & SSD	
	LAN: Integrated 10/100/1000M	
Ports and Connectors	Front: 1 headphone/microphone combo; 3 Super Speed U SGbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0	
irmware Trusted Platform Module	TPM 2.0	
ardware Security lock slot	Security lock slot	
ower Supply	180-260Watt Internal power supply with minimum 90% efficiency	
	Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required.	
rtification	OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate	
	Microsoft Windows, Energy star 8.0 certified	
	Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of	
yboard Mouse	Mouse products at the time of participation of the Bid. USB Keyboard; USB Optical Mouse	
onitor	19.5" LED Display with CTO Certified and same must be	
	belongs to the same OEM	

SI. No. Feature 600 VA Line Interactive UPS Specifications		
		General Specifications
1	UPS Capacity (total)	SOOM A PROM
2	Input Voltage	230 VAC nominal
3	Input Frequency	COLUMB TO THE COLUMN TO THE CO
1	Brownout Transfer	45 – 65 Hz
	the second secon	145 VAC typical
5	Over-voltage Transfer	290 VAC typical
6	Voltage on Battery	230 VAC typical (stepped approximated sine wave)
7	Frequency - On Battery	SOHz typical
8	Transfer Time	@50 Hz : 6 ms typical, 10 ms max
9	Air Ventilation	Should have Side and Back Honey bee Perforation for heat dispersion
10	Protection from Humidity & Dust	UPS Should have conformal paint coating on PCB for Insulation for Dust and Humidity
11	Battery Saver Option	UPS Should have Battery Saver Option to increase the life of the Battery upto 5 years
12	No Load Shutdown	UPS Should work on loads of 2-3 watts also
13	AC Surge Protection	Full time, 160 joules
14	Automatic Re start of UPS	In case the UPS backup is totally drained and automatic switched off, when the grid power resumes the UPS Should Auto Start without human interference.
15	Type (maintenance-free)	12V, 7,2 Ah
16	Typical recharge time	4-6 hours
17	Operating Temperature	0°C to 40°C
18	Storage Temperature	-15°C to 45°C
19	3 power outlets	With battery backup and surge protection
20	Power Cord	1,2 meters
21	Runtime for Single PC load (60W ± 15W)	27 min (normal mode)
22	Runtime for Workstation PC (100W ±15W)	13 min (normal mode)
23	Battery Saver (to save on battery life)	Thru toggle button on front panel
24	Certification	als .
25	Designed and Manufactured in India	Yes
26	Warranty	2yeasrs

	Generic
Description of Stores	Multifunction Machine Printer with Minimum 1 Year On S Warranty, including Cartridge and Power Cord/Adapter
Core Function	Print, Scan and Copy
Print Technology	Laser
Cartridge Technology	Composite Cartridge
Type of Printing	Monochrome (Black)
RAM Size (MB)	256
Storage Capacity (in GB)	0
Features	Fax
Operating System Compatibili	Windows 10 and Above,Linux,Mac OS,Windows Server
	Printing
Print Paper Size	A4 and Legal
Minimum Print Speed per Minute as per ISO/IEC 24734 i A4 Size-Monochrome (Black) (in PPM)	26 to 30
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Mono (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Color (in PPM)	Not Applicable
Auto Duplexing Printing/Coping 2-sided Feature)	Yes
	Scanning
Platen/Flatbed Size)	A4 and Legal
4 Scan Speed -Colour (Image er Minute) @ 300 x 300 dpi	11 to 20
can To Functions	Email
Scan Speed - Mono (Image er Minute) @ 300 x 300 dpi	11 to 20
	COPYING
duction and Enlargement	Yes

	PAPER HANDLING
Original Document Feeder Type (For Scanning and Copying)	Automatic Document Feeders (ADF)
Feeder Capacity (Number of Sheets) (For Scanning and Copying)	31 to 40
Number of Main Paper Tray	1 =
Total Paper Tray Combined Capacity (Number) at 75 GSM	101 to 200
Bypass Tray Facility	No
If Yes, Bypass Tray Capacity	0
Connectivity	
Connectivity	USB Port,Ethernet Port,Wi-Fi
Accessories Provided	USB Cable
Minimum Yield of the	Performance
Cartridge/Ink/Toner supplied with Machine as per IS/ISO/IEC: 19752/2017 for Black (Number of Prints)	
Minimum Yield of the Cartridge/Ink/Toner Supplied with Machine as per IS/ISO/IEC: 19798:2017 for Cyan, Yellow and Magenta Color (Number of Prints)	0
Minimum Duty Cycle (Number of Prints/Month)	10,001 to 20,000
	POWER
Power Supply	Single Phase AC 220 - 240 V, 50 - 60 Hz
Maximum Power Consumption (in Watt)	1300
Environmental	
Minimum Operating Temperature (Degree C)	10
Maximum Operating Temperature (Degree C)	30

(1)

((((

Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
	Dimension
Standard Machine Weight with Single Tray (in Kg)	II
PIC ODE A	Certification
BIS CRS Compliance	Yes as per IS 13252 (Part 1)
Maximum Number of Prints covered under Product warranty (Whichever is earlier)	30000
EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date	Yes
Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand	Yes

		the state of the s
STATE OF THE PARTY	Screen Size	65
	Brightness (cd/m²)	350Nits or better
	Contrast Ratio	1200:1
	Dynamic Contrast Ratio	400,000:1
	Response Time (ms)	8.0
eneral Features		3840 x 2160
	Display resolution (H x V, pixels)	Yes (HDR10, HLG)
	HDR (High Dynamic Range) compatiblity	16:9
	Aspect Ratio	Yes
	Portrait/Tilt Compatibility	Frame Dimming
	Dimming type	LCD
	Display Device	IPS
	Panel Type	Direct LED
	Backlight type	69%
	Color gamut (NTSC)	16/7
Display features	Operation time	1%
	Haze (%)	178 (89/89) degree
	Viewing Angle (Right/Left)	178 (89/89) degree
	Viewing Angle (Up/Down)	
	HDMI Signal	4096 x 2160p (24, 50, 60 Hz), 3840 x 2160p (24, 25, 30, 50, 60 Hz), 1080p (30, 50, 60 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i 480p,480i
全国的发生	· · · · · · · · · · · · · · · · · · ·	Down Firing
	Speaker Position	10W + 10W
Audio Specs	Audio Power Output Pro settings	Yes (Simple Pro settings menu
		Yes
Professional	HOMI auto wake-up	Android TV
features *	Operating System	16GB
	On-board Storage (GB)	3G8
	RAM	Yes
	Wi-Fi Certified	Integrated
Network Specs	Wireless LAN	MPEG1:MPEG1/MPEG2
7425 25	USB playback codecs	PS:MPEG2/MPEG2 WEBM:AV1/AC4/088/AAC
	On Screen Clock	Yes
Convenience	Sleep Timer	Yes
features	On IOH Times	Yes
	Chromecast built-in	Yes
	Chromecast Duit-	Yes
10 10 10 10 10 10 10 10 10 10 10 10 10 1	Apple AirPlay	Yes
	IP Control	Yes
Control Specs	RS-232C Control	Yes
Control Spec	HDMI-CEC	HDCP2.3 (for HDMI1/2/3
	HDCP	1 (Side, Mini jack)

(1.

		3 (3Side)
	HDMI inputs total	1 (Side Analog Conversion)
Inputs and outputs	Analog Audio Input (s) (Total)	1 (Side)
	Digital Audio Output (s)	2 (Side)
	USB ports	1 (Side)
	Ethernet Inputs	300 x 300 mm
Design features	VESA® Hole Pitch (W x H)	226W
	Rated Power Consumption	0.5 W
	Power Consumption (in Standby)	Yes
Environment Specs	Dynamic Backlight Control	Yes
	Power Saving Mode / Back Light Off Mode	1462 x 842 x 71 mm
	Dimension of TV without Stand (W x H x D)	1462 x 912 x 338 mm
Measurements	Dimension of TV with Stand (W x H x D)	1462 x 912 x 338 mm
	Dimension of Package Carton (W x H x D)	1588 x 965 x 184 mm
	Weight of TV without Stand	20.4 kg
Weight	Weight of TV with Stand	21.3 kg
	Weight of Package Carton (Gross)	28 kg

1

(1